



QMFZ2.E249605 - Plastics - Component

Plastics - Component

[See General Information for Plastics - Component](#)

SUZHOU OMAI OPTICAL MATERIALS CO LTD

E249605

158-30 HUASHAN RD
 SND
 SUZHOU, JIANGSU 215011 CHINA

Material Dsg	Color	Min. Thk mm	Flame Class	H		Elec	RTI		H D		C
				W	A		Mech Imp	Str	V	4	
Polycarbonate (PC), furnished as film or sheet.											
V11, V42, V32, V41, V21, V31, V61, V71, V11-P, V42-P, V31-P, V32-P, V41-P, V21-P, V61-P, V71-P											
	NC	0.20-0.22	VTM-0	-	-	80	80	80	-	-	-
V11B, V42B, V32B, V41B, V21B, V31B, V61B, V71B, V11B-P, V42B-P, V31B-P, V32B-P, V41B-P, V21B-P, V61B-P, V71B-P											
	BK	0.1	VTM-2	-	-	80	80	80	-	-	-
		0.25	VTM-0	-	-	80	80	80			
Polycarbonate (PC), furnished as sheets.											
G11, G11W, G11B, SB11, SG11, FG11, G11-R, G11-BU, G11W, FG(a), LSC(a), EHF(a), OMR(a)-UV, C71-A, C71-B, C71-C, ST(a), OM(a)-UV, G(a)W, G11B, IMD11, LCD11, LCD41, LCD61, LCD11B, T11, UV11, SR11, LC11, LC21, LC32, LC42, LC21B, LC11B, LC32B, LC21W, LC32W, LC42B, LC42W											
	NC	0.121	V-2	-	-	80	80	80	-	-	-
		1.0-1.1	V-2	-	-	80	80	80			
G42, G51, G42F, G21F, G32, G32F, G52, G21, G41, G41F, G21B, G42B, G61, G71, IMD42, IMD41, LD21, LD21W, LD32, LD42, LD42W, LD52W, LD41W, LD21W-F, LD42W-F, T41, T32F, SR42, SR41, SR21											
	NC	0.120-0.132	VTM-2	-	-	80	80	80	-	-	-
		0.5-0.55	V-2	-	-	80	80	80			
OM(a), BLC(a)(b), GAP(a)											
	NC	0.5	V-2	-	-	80	80	80	-	-	-
		0.8	V-2	-	-	80	80	80			

		3.0	V-2	-	-	80	80	80			
OMF(a), BLC(a)(b)F, RHA(a)											
	NC	0.8	V-0	-	-	80	80	80	-	-	-
		3.0	V-0	-	-	80	80	80			
U(a), U(a)-P	NC	0.110-0.250	VTM-0	-	-	80	80	80	-	-	-
		0.370-0.8	V-0	-	-	80	80	80			
U(a)B, U(a)B-P	BK	0.110-0.250	VTM-0	-	-	80	80	80	-	-	-
		0.370-0.8	V-0	-	-	80	80	80			
Polycarbonate (PC), furnished as sheets or rolls.											
G11-N	NC	0.175-0.19	V-2	-	-	80	80	80	-	-	-
SE11, SE21, SE41, SE42, SE31, SE61, SE71, SE32, SE52, SE51, SE62, SE72											
	NC	0.125	V-0	0	4	80	80	80	-	-	-
		0.25	V-0	0	4	80	80	80			
		0.8-0.88	V-0	0	0	80	80	80			
SE42B, SE21B, SE41B, SE42W, SE42B-F, SE41B-F, SE32B, SE31B, SE61B, SE71B, SE52B, SE51B, SE62B, SE72B, SE21W, SE41W, SE32W											
	BK	0.25	V-0	0	0	80	80	80	-	-	-
		0.8-0.88	V-0	0	0	80	80	80			
Polycarbonate (PC)/Polymethyl Methacrylate (PMMA), furnished as film or sheets.											
GMC	NC	0.5	HB	-	-	50	50	50	-	-	-
		2.0	HB	-	-	50	50	50			
Polycarbonate/Polybutylene Terephthalate (PC/PBT), furnished as sheets or rolls.											
SE900	NC	0.125-0.14	VTM-0	4	4	75	75	75	-	-	-
		0.50-0.55	V-0	4	0	75	75	75			
Polypropylene (PP), furnished as pellets.											
ESC(a)B, ESC-HF(a)B, BSC(a)B, ESC(a)B-ECO, ESC(a)B-(b)											
	BK	0.3-0.75	V-0	-	-	65	65	65	-	-	1
ESC(a)W, ESC-HF(a)W, BSC(a)W, ESC(a)W-ECO, ESC(a)W-(b)											
	WT	0.3-0.75	V-0	-	-	65	65	65	-	-	1
SC(a)B	BK	0.38 - 0.74	V-0	4	0	65	65	65	-	-	0
		0.75 - 0.9	V-0	4	0	65	65	65			

(a) - May be followed by a two digit suffix [00-99] inclusive, indicating textures of both sides of the film/sheet

(b) - May be 001-999 representing different client designations.

Marking: Company name and material designation on container, wrapper or finished part.

Last Updated on 2020-05-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"